

Cambodian Birch

Specifications



ORIGIN	Cambodia
SPECIES	White Birch
CORE	Eucalyptus, Rubberwood, or Eucalyptus/Rubberwood Combi
FACE/BACK	White Birch
GRADE	C2
FINISH	Raw, Prefinish
SIZE	48" x 96", 48.5" x 96.5"
VEENER CUT	Rotary Cut, WPF
VEENER THICKNESS	0.3mm
SURFACE SANDING	240-320 grit finish
GLUE TYPE	Interior, TSCA Title VI
MOISTURE CONTENT	<12%
APPLICATIONS	Cabinetry, furniture, shelving, trim work, lamination



THICKNESS	# OF PLYS	THICKNESS VARIATION	SHEETS PER CRATE
9mm	7	8.5mm – 9.3mm	104
12mm	9	11.5mm – 12.3mm	78
15mm	11	14.5mm – 15.3mm	62
18mm	13	17.5mm – 18.3mm	52



Source: Gravtex.eu

Based on availability, USply reserves the right to substitute product that may vary in species, core, country of origin, and/or other specifications.

Malaysian Birch

Specifications



ORIGIN	Malaysia
SPECIES	White Birch
CORE	Rubberwood
FACE/BACK	White Birch
GRADE	C2
FINISH	Raw, Prefinish
SIZE	48" x 96"
VEENER CUT	Rotary Cut, WPF
VEENER THICKNESS	0.3mm
SURFACE SANDING	240-320 grit finish
GLUE TYPE	Interior, TSCA Title VI
MOISTURE CONTENT	<12%
APPLICATIONS	Cabinetry, furniture, shelving, trim work, lamination



THICKNESS	# OF PLYS	THICKNESS VARIATION	SHEETS PER CRATE
12mm	7	11.5mm – 12.3mm	78
18mm	9	17.5mm – 18.3mm	52



Source: Gravtex.eu

Based on availability, USply reserves the right to substitute product that may vary in species, core, country of origin, and/or other specifications.

Thailand Birch

Specifications



ORIGIN	Thailand
SPECIES	White Birch
CORE	Eucalyptus
FACE/BACK	White Birch
GRADE	C2
FINISH	Raw, Prefinish
SIZE	48" x 96", 48.5" x 96.5"
VEENER CUT	Rotary Cut, WPF
VEENER THICKNESS	0.3mm
SURFACE SANDING	240-320 grit finish
GLUE TYPE	Interior, TSCA Title VI
MOISTURE CONTENT	<12%
APPLICATIONS	Cabinetry, furniture, shelving, trim work, lamination



THICKNESS	# OF PLYS	THICKNESS VARIATION	SHEETS PER CRATE
12mm	9	11.5mm – 12.3mm	78
18mm	11	17.5mm – 18.3mm	52



Source: Gravtex.eu

Based on availability, USply reserves the right to substitute product that may vary in species, core, country of origin, and/or other specifications.

Indonesian Birch

Specifications



ORIGIN	Indonesia
SPECIES	White Birch
CORE	Falcata & MLH
FACE/BACK	White Birch
GRADE	C2, C3, Market
FINISH	Raw, Prefinish
SIZE	48" x 96", 48.5" x 96.5"
VEENER CUT	Rotary Cut, WPF
VEENER THICKNESS	0.3mm
SURFACE SANDING	240-320 grit finish
GLUE TYPE	Interior, TSCA Title VI
MOISTURE CONTENT	<12%
APPLICATIONS	Cabinetry, furniture, shelving, trim work, lamination



THICKNESS	# OF PLYS	THICKNESS VARIATION	SHEETS PER CRATE
5.2mm	5	4.8mm-5.2mm	180
12mm	7-9	11.5mm-12.3mm	78
18mm	9-13	17.5mm-18.3mm	52



Source: Gravtex.eu

Based on availability, USply reserves the right to substitute product that may vary in species, core, country of origin, and/or other specifications.

Vietnamese Birch

Specifications



	WHITE BIRCH	WHITE BIRCH W/ MDF CORE	WHITE BIRCH W/ MAGNOLIA CORE
ORIGIN	Vietnam	Vietnam	Vietnam
SPECIES	White Birch	White Birch	White Birch
CORE	Acacia & Eucalyptus	MDF	Magnolia
FACE/BACK	White Birch	White Birch	White Birch
GRADE	B2, C2, C3, Market	C3	C2
FINISH	Raw, Prefinish	Raw	Raw
SIZE	48" x 96", 48.5" x 96.5", 48" x 120"	48" x 96"	48.5" x 96.5"
VENEER CUT	Rotary Cut, WPF	Rotary Cut, WPF	Rotary Cut, WPF
VENEER THICKNESS	0.3mm	0.3mm	0.3mm
SURFACE SANDING	240-320 grit finish	240-320 grit finish	240-320 grit finish
GLUE TYPE	Interior, TSCA Title VI	Interior, TSCA Title VI	Interior, TSCA Title VI
MOISTURE CONTENT	<12%	<12%	<12%
APPLICATIONS	Cabinetry, furniture, shelving, trim work, lamination	Cabinet door inserts and door panels	Cabinetry, furniture, shelving, trim work, lamination



WHITE BIRCH	5.2MM	9MM	12MM	15MM	18MM	25MM
# OF PLYS	5	7	9	11	11-13	17
THICKNESS VARIATION	4.8mm-5.2mm	8.5mm-9.3mm	11.5mm-12.3mm	14.5mm-15.3mm	17.5mm-18.3mm	24.5mm-25.3mm
SHEETS PER CRATE	180	104	78	62	52	36
WHITE BIRCH W/ MDF CORE	5.2MM					
# OF PLYS	3					
THICKNESS VARIATION	4.8mm-5.2mm					
SHEETS PER CRATE	180					
WHITE BIRCH W/ MAGNOLIA CORE					18MM	
# OF PLYS					13	
THICKNESS VARIATION					17.5mm-18.3mm	
SHEETS PER CRATE					52	



Based on availability, USply reserves the right to substitute product that may vary in species, core, country of origin, and/or other specifications.